Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2496	(709/206).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:42
S2	10	(bounce$1 adj1 message) and S1	USPAT	OR	OFF	2005/02/04 15:57
S3	0	(undeliver$3 adj1 message) with (rout$3 or forward)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:59
S4	32	(undeliver$3 adj1 message$1) same (rout$3 or forward)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:03
S5	11	S1 and S4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 15:59
S6	38	((undeliver$3 adj1 message$1)or (bounce$1 adj1 message)) same (rout$3 or forward)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:24
S7	9	((undeliver$3 adj1 (email or (electronic adj1 mail)))or (bounce$1 adj1 (email r (electronic adj1 mail)))) same (rout$3 or forward)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:26
S8	9	((undeliver$3 adj1 (email or (electronic adj1 mail)))or (bounce$1 adj1 (email or (electronic adj1 mail)))) same (rout$3 or forward)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:31
S9	1	"08528552"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/04 16:31
S10	1	"6671714"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/07 14:12
S11	47	"5987508"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/07 14:15
S12	354	(bounce$1 or undelivered) with (message or email)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/07 14:32

S13	2	S11 and S12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/07 14:22
S14	0	(forward adj1 to adj1 recipient) and S12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/07 14:22
S15	48	("5675507" "6182118" "5724407" "5765033" "5247591" "5790790" "6040784" "6438584" "6446115" "6823365" "5870549" "6350066" "6212552" "6212552" "5930479" "6085101" "5838461" "6122672" "6185603" "6438583" "5870548" "6023345" "6025931" "5826034" "6128739" "5923848" "5978837" "6052782" "6212553" "6212553" "5752059" "5930471" "5937161" "6081899" "6178233" "6192114" "6285991" "6314521" "6385306" "6385728" "6594693" "6618747" "6725429" "6760752" "5555426" "5751791" "6092114" "6523008" "6539421" "6128646").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/07 15:29
S16	1	((bounce$1 or undelivered) with (message or email)) and S15	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/07 14:29
S17	50	("6115817" "6564321" "6606647" "6658485" "5937164" "6185306" "5892825" "6067561" "6311211" "6442573" "6463467" "6108704" "5475757" "5987508" "6321267" "5930350" "6023723" "6076101" "6442686" "5832220" "6052784" "6360221" "6363415" "6421709" "6424828" "6507866" "6549950" "6587550" "6621892" "6628306" "6640301" "6718168" "6721784" "6725381" "6836895" "5758088" "5944786" "6044134" "5802314" "6014427" "6101244" "6430604" "6385655" "6434601" "6625642" "5838685" "5937162" "6453341" "6515576" "6732156").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/07 14:28
S18	3	((bounce$1 or undelivered) with (message or email)) and S17	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/07 16:11

S19	89	((notif$4 or rout$3) with recipient$1) and S12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/07 14:34
S20	1037	(709/206).CCLS.	USPAT	OR	OFF	2005/02/07 15:29
S21	133	(bounced or undelivered) with (message or email)	USPAT	OR	OFF	2005/02/07 15:30
S22	147	notify$3 adj1 recipient	USPAT	OR	OFF	2005/02/07 16:30
S23	2	S21 and S22	USPAT	OR	OFF	2005/02/07 15:30
S24	20	S20 and S22	USPAT	OR	OFF	2005/02/07 15:48
S25	12	S20 and S21	USPAT	OR	OFF	2005/02/07 15:48
S26	2	((bounce$1 or undelivered) with (message or email)) and S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/07 16:11
S27	0	(full adj1 mailbox) and S22	USPAT	OR	OFF	2005/02/07 16:32
S28	0	(mailbox adj1 full) and S22	USPAT	OR	OFF	2005/02/07 16:32
S29	94	(mailbox adj1 full)	USPAT	OR	OFF	2005/02/07 16:34
S30	0	(notify$3 adj1 recipient) and S29	USPAT	OR	OFF	2005/02/07 16:33
S31	9	"6405243"	USPAT	OR	OFF	2005/02/07 16:39
S32	5	"6591291"	USPAT	OR	OFF	2005/02/07 16:39
S33	317	(709/207).CCLS.	USPAT	OR	OFF	2005/02/08 10:26
S34	5567	previous with (message$1 or email)	USPAT	OR	OFF	2005/02/08 10:27
S35	0	((bounce$1 or threshold or limit or max or maximum) with (email adj1 (box or storage or memory)))	USPAT	OR	OFF	2005/02/08 10:29
S36	74803	((bounce$1 or threshold or limit or max or maximum) with (box or storage or memory))	USPAT	OR	OFF	2005/02/08 10:29
S37	4291	(notif$4 or alert$3 or remind$3) with (recipient or receiver)	USPAT	OR	OFF	2005/02/08 10:30
S38	298	S36 and S37	USPAT	OR	OFF	2005/02/08 10:38
S39	3	S33 and S38	USPAT	OR	OFF	2005/02/08 10:32
S40	1039	(709/206).CCLS.	USPAT	OR	OFF	2005/02/08 10:32
S41	11	S38 and S40	USPAT	OR	OFF	2005/02/08 10:33
S42	52	S34 and S38	USPAT	OR	OFF	2005/02/08 10:39
S43	0	((bounced adj1 message) or (undelivered adj1 message)) near ((threshold or limit or max or maximum) with (box or storage or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:41

S44	0	((bounced adj1 message) or (undelivered adj1 message))same ((threshold or limit or max or maximum) with (box or storage or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:42
S45	0	((bounce$1 adj1 message) or (undeliver$2 adj1 message))same ((threshold or limit or max or maximum) with (box or storage or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:42
S46	0	((bounce$1 adj1 message) or (undeliver$2 adj1 message)) same ((threshold or limit or max or maximum) with (box or storage or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:42
S47	0	(((bounce$1 or undeliver$2) adj1 (message or email or (electronic adj1 mail))) same ((threshold or limit or max or maximum) with (box or storage or memory)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:44
S48	0	(((bounce$1 or undeliver$2) adj1 (message or email or (electronic adj1 mail))) same ((threshold or limit or max or maximum or full) near (box or storage or memory)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:45
S49	1	(((bounce$1 or undeliver$2) adj1 (message or email or (electronic adj1 mail))) same ((threshold or limit or max or maximum or full) same (box or storage or memory)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:46
S50	5	(((bounce$1 or undeliver$2) with (message or email or (electronic adj1 mail))) same ((threshold or limit or max or maximum or full) same (box or storage or memory)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:51
S51	0	mail adj1 storage adj1 full	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 11:37
S52	3	bounce adj1 email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 11:39
S53	5391	(bounced or undelivered or returned) near (email or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 11:40

S54	1851	(notify$3 or promt$3 or remined or alert$3) near (recipient or receiver$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 11:41
S55	74	S53 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 11:41
S56	2843	(709/206-207).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/10 17:16
S57	476	(reject or return or undeliver$4 or previous or past) with ((emai or message or (electronic adj1 mail)) with compar$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/10 17:19
S58	17502	compar$5 with (email or message$1 or (electronic adj1 mail))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/10 17:20
S59	30	S56 and S57	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/10 17:21
S60	16	S59 and @ad < "20011212"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/10 17:31
S61	603	S56 and S58	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/10 17:31
S62	346	S61 and @ad < "20011212"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/10 17:31
S63	36418	(bounce$1 or undeliver3 or return$2 or reject$2 or miss$2) with (email or message$1 or (electronic adj1 mail))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/02/11 09:27
S64	2843	(709/206-207).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/11 09:27
S65	17502	compar$5 with (email or message$1 or (electronic adj1 mail))	US-PGPUB; USPAT; IBM_TDB	OR	OFF.	2005/02/11 09:27
S66	603	S64 and S65	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/11 09:27
S67	346	S66 and @ad < "20011212"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/11 09:27

S68	200	S63 and S67	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/02/11 09:28
S69	200	S68 and @ad < "20011212"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2005/02/11 09:29
S70	0	("217-219").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 14:54
S71	6266	(709/217-219).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 14:54
S72	1858	(notify$3 or promt$3 or remined or alert$3) near (recipient or receiver$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 14:55
S73	37	S71 and S72	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 14:58
S74	26	S73 and @ad < "20011212"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/14 14:59
S75	3199	(709/206-207).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:09
S76	606	(previous or received or (past near message)) with ((no$1 near receiv$@) or bounce$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 16:15
S77	28	((previous or received or past) near message) with ((no$1 near receiv$@) or bounce$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 16:15
S78	10	S77 and @ad < "20011212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 16:21

S79	245	S75 and (undeliver$3 or bounce$1 or (no$1 near receive$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 16:30
S80	133	S79 and @ad < "20011212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 16:41
S81	0	S80 and ((exceed or over) with (size near limit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 16:32
S82	0	S80 and ((exceed or overflow) with (size near limit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 16:32
S83	29	S80 and (notif$3 with recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 16:55
S84	0	("l1and@ad<20011212").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 17:10
S85	1830	S75 and @ad < "20011212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 17:10
S86	120	S85 and ((notif$4 or reveal$3 or alert$3) near (recipient or receiver))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/14 17:26
S87	252	(bounce$1 or (no$1 near receiv$3) or undeliver$2) same ((past or previous$2 or send) near message$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 09:48
S88	8506	(notif$4 or alert$3 or reveal or send) with recipient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 09:49

S89	64	S87 and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 09:49
S90	39	S89 and @ad < "20011212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 12:52
S91	615	(email or mail or e-mail) with (undeliver$3 or bounce$1 or (no$1 near receiv$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 09:58
S92	7	(past or previous or last) with (email or mail or e-mail) with (undeliver$3 or bounce$1 or (no$1 near receiv$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 10:01
S93	37	(US-20010003189-$ or US-20010032245-$ or US-20010044828-$ or US-20020007453-$ or US-20020013817-$ or US-20020032743-$ or US-20020035607-$ or US-20020087643-$ or US-20020087649-$ or US-20020120696-$ or US-20020120702-$ or US-20020131561-$ or US-20020152272-$ or US-20030009526-$ or US-20030018722-$ or US-20030055903-$ or US-20030115270-$ or US-20010049745-$ or US-20010042136-$ or US-20010032247-$).did. or (US-5944786-$ or US-6112227-$ or US-6374291-$ or US-6496853-$ or US-6549957-$ or US-6557036-$ or US-6631398-$ or US-6662213-$ or US-6701346-$ or US-6772196-$ or US-6779038-$ or US-6829635-$ or US-6732185-$ or US-6625734-$ or US-6618747-$ or US-5870548-$ or US-6061570-$).did.	US-PGPUB; USPAT	OR	ON	2005/07/15 10:02
S94	10	S93 and ((notif$4 or alert$3 or reveal$3) near recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 10:04

S95	12	S93 and ((notif$4 or alert$3 or reveal$3) with recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 12:50
S96	0	(email with (size near limit)) same ((notif$4 or alert$3) near recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 12:52
S97	20	(email with (size near limit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 12:56
S98	8	S97 and @ad < "20011212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 12:52
S99	754	(email with (size or capacity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:17
S100	20	S99 and (bounce$1 or undeliver$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:18
S101	4	S100 and @ad < "20011212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:18
S102	857	(email with (size or capacity or maximum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:17
S103	22	S102 and (bounce$1 or undeliver$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:18
S104	4	S103 and @ad < "20011212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:22

S105	38	"5893908"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:25
S106	21	"6275850"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:44
S107	11	(notif$4 or alert$3) and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:27
S108	1	((notif$4 or alert$3) near recipient) and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:26
S109	0	"2003645327"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:44